

Binge Drinking (School-age)

Binge Drinking (School-age)

- Most recent data (2014): 11% of King County youth attending public schools in the 8th,10th and 12th grades.
- Trend over time: 2004-14: falling
- Description: Had 5 or more alcoholic drinks in a row in past 14 days
- Healthy People 2020 Goal: 23 percent or lower

Binge drinking (school-age), King County, 2012 and 2014 average

	Percent	Lower CI	Upper CI
King County (school-age in 8th, 10th and 12th grades)	12	11	13
GRADE			
Grade 8	5	4	5
Grade 10	12	11	12
Grade 12	20	19	22
GENDER			
Male	13	12	14
Female	11	11	12
RACE/ETHNICITY			
AIAN	17	14	20
Asian	7	6	8
Black	13	11	14
Hispanic	16	15	17
Multiple	13	11	14
NHPI	15	13	17
White	13	12	15
Other	11	10	13
REGION			
East	13	11	15
North	12	9	14
Seattle	13	11	16
South	12	11	13
STATE			
Washington State	12	11	13

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Binge drinking (school-age) King County, 2012 and 2014 average



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Data by income or poverty level not available.

**Binge drinking (school-age) by regions
King County, 2012 and 2014 average**



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.
N/A: Not available.

Binge drinking (school-age) King County, 2004-2014



Trends over time: King County (2004-14: falling); East KC (2004-14: flat); North KC (2004-14: falling); Seattle (2004-14: falling);
 South KC (2004-14: falling); Washington State (2004-14: falling)
 Prepared by Public Health - Seattle & King County, APDE, 08/2016.
 Source: Healthy Youth Survey.
 South KC (2004-14: falling); Washington State (2004-14: falling)

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
 08/16